Heredity **79** (1997) 651–654

Author index

Abban, E K. *see* Agnèse, J F.

Abbott, R. J. *see* Harris, S. A.

Adépo-Gourène, B. *see* Agnèse, J. F.

Agnèse, J. F., Adépo-Gourène, B., Abban, E. K., Fermon, Y., Genetic differentiation among natural populations of the Nile tilapia *Oreochromis niloticus* (Teleostei, Cichlidae) **88**

Alonso-Blanco, C. *see* van der Schaar, W.

Andersson, S. *see* Black-Samuelsson, S.

Appleby, J. M., Nelson, G., McPherson, M. J., Hamlyn, P. F., Polymerase chain reaction amplification of the RuBisCo small subunit genes and their novel application to plant tissue identification **557**

Arai, T. *see* Shimizu, T.

Baird, E. *see* Powell, W.

Bakx-Schotman, T. J. M.T. *see* de Haan, A. A.

Beaumont, A. R. *see* Wilding, C. S.

Beebee, T. J. C. *see* Hitchings, S. P.

Bernardino, G. *see* Oliveira, C.

Biémont, C. *see* Hoogland, C.

Black-Samuelsson, S., Andersson, S., Reaction norm variation between and within populations of two rare plant species, *Vicia pisiformis* and *V. dumetorum* (Fabaceae) **268**

Booth, A. *see* Powell, W.

Borodin, P. M. *see* Polyakov, A. V.

Brabant, P. *see* Goldringer, I.

Breeuwer, J. A. J., *Wolbachia* and cytoplasmic incompatibility in the spider mites *Tetranychus urticae* and *T. turkestani* **41**

Brooks, R. J., Tobias, A. M., Lawrence, M. J., A time series analysis of the population genetics of the self-incompatibility polymorphism. 1. Allele frequency distribution of a population with overlapping generations and variation in plant size **350**

Brooks, R. J., Tobias, A. M., Lawrence, M. J., A time series analysis of the population genetics of the self-incompatibility polymorphism. 2. Frequency-equivalent population and the number of alleles that can be maintained in a population **361**

Burczyk, J., Prat, D., Male reproductive success in *Pseudotsuga menziesii* (Mirb.) Franco: the effects of spatial structure and flowering characteristics **638**

Burstin, J., Charcosset, A., Relationship between phenotypic and marker distances: theoretical and experimental investigations **477**

Butler, R. D. *see* Owusu-Daaku, K. O.

Byrne, M., Waycott, M., Hobbs, A. A., James, S. H., Variation in ribosomal DNA within and between populations of *Isotoma petraea* and *Macrozamia riedlei* **578**

Cabrero, J. *see* Martín-Alganza, A.

Camacho, J. P. M. *see* Martín-Alganza, A.

Campbell, D. R., Genetic correlation between biomass allocation to male and female functions in a natural population of *Ipomopsis aggregata* **606**

Carvalho, A. B. *see* Varandas, F. R.

Caujapé-Castells, J., Pedrola-Monfort, J., Space-time patterns of genetic structure within a stand of *Androcymbium gramineum* (Cav.) McBride (Colchicaceae) **341**

Cavicchi, S. *see* Guerra, D.

Cavicchi, S. *see* Pezzoli, M. C.

Cellos, D. *see* Rigaa, A.

Chadova, N. B. *see* Polyakov, A. V.

Charcosset, A. *see* Burstin, J.

Cobolli Sbordoni, M., Ketmaier, V., De Matthaeis, E., Taiti, S., Biochemical systematics and evolutionary relationships in the *Trichoniscus pusillus* complex (Crustacea, Isopoda, Oniscidea) **463**

Colombo, P. C., Exophenotypic effects of chromosomal change: the case of *Leptysma argentina* (Orthoptera) **631**

Colombo, P. C., Jones, G. H., Chiasma interference is blind to centromeres **214**

Coutellec-Vreto, M.-A., Madec, L., Guiller, A., Selfing and biparental inbreeding: a mating system analysis in *Lymnaea peregra* (Gastropoda: Lymnaeidae) **277**

Crease, T. J., Lee, S.-K., Yu, S.-L., Spitze, K., Lehman, N., Lynch, M., Allozyme and mtDNA variation in populations of the *Daphnia pulex* complex from both sides of the Rocky Mountains **242**

Crespi, B. J., Vanderkist, B. A., Fluctuating asymmetry in vestigial and functional traits of a haplodiploid insect **624**

Crosetti, D. *see* Rossi, A. R.

Dawson, R. J. G., Gibbs, H. L., Hobson, K. A., Yezerinac, S. M., Isolation of microsatellite DNA markers from a passerine bird, *Dendroica petechia* (the yellow warbler), and their use in population studies **506**

de Haan, A. A., Luyten, R. M. J.M., Bakx-Schotman, T. J. M.T., van Damme, J. M. M., The dynamics of gynodioecy in *Plantago lanceolata* L. I. Frequencies of male-steriles and their cytoplasmic male sterility types **453**

de Jong, G. *see* de Moed, G. H.

de Jong, G. *see* Noach, E. J. K.

De Matthaeis, E. *see* Cobolli Sbordoni, M.

de Moed, G. H., de Jong, G., Scharloo, W., The phenotypic plasticity of wing size in *Drosophila melanogaster*: the cellular basis of its genetic variation **260**

de Stordeur, E., Nonrandom partition of mitochondria in heteroplasmic *Drosophila* **615**

Delobel, B. *see* Grenier, A.-M.
Denis, J.-B., Piepho, H.-P., van Eeuwijk, F. A., Modelling expectation and variance for genotype by environment data **162**
Dixon, K. W. *see* Rossetto, M.
Dobrotvorsky, A. K. *see* Polyakov, A. V.
Doligez, A., Joly, H. I., Genetic diversity and spatial structure within a natural stand of a tropical forest tree species, *Carapa procera* (Meliaceae), in French Guiana **72**

Ennos, R. A. *see* Hu, X.-S.

Ferguson, A. *see* Prodöhl, P. A.
Fermon, Y. *see* Agnèse, J. F.
Flook, P. K., Post, R. J., Molecular population studies of *Simulium damnosum s. l.* (Diptera: Simuliidae) using a novel interspersed repetitive DNA marker **531**
Ford, M. J. *see* Willett, C. S.
Foresti, F. *see* Oliveira, C.

Gallais, A. *see* Goldringer, I.
Garoia, F. *see* Guerra, D.
Garoia, F. *see* Pezzoli, M. C.
Ge, X. *see* Petit, C.
Gibbs. H. L. *see* Dawson, R. J. G.
Gießler, S., Gene flow in the *Daphnia longispina* hybrid complex (Crustacea, Cladocera) inhabiting large lakes **231**
Giorgi, G. *see* Guerra, D.
Giorgi, G. *see* Pezzoli, M. C.
Gleason, J. M. *see* Ritchie, M. G.
Goldringer, I., Brabant, P., Gallais, A., Estimation of additive and epistatic genetic variances for agronomic traits in a population of doubled-haploid lines of wheat **60**
Goodwillie, C., The genetic control of self-incompatibility in *Linanthus parviflorus* (Polemoniaceae) **424**
Gornung, E. *see* Rossi, A. R.
Grenier, A.-M., Mbaiguinam, M., Delobel, B., Genetical analysis of the ability of the rice weevil *Sitophilus oryzae* (Coleoptera, Curculionidae) to breed on split peas **15**
Guerra, D. *see* Pezzoli, M. C.
Guerra, D., Pezzoli, M. C., Giorgi, G., Garoia, F., Cavicchi, S., Developmental constraints in the *Drosophila* wing **564**
Guiller, A. *see* Coutellec-Vreto, M.-A.

Hackett, C. A. Model diagnostics for fitting QTL models to trait and marker data by interval mapping **319**
Hamlyn, P. F. *see* Appleby, J. M.
Harris, S. A., Abbott, R. J., Isozyme analysis of the reported origin of a new hybrid orchid species, *Epipactis youngiana* (Young's helleborine), in the British Isles **402**
Harrison, R. G. *see* Willett, C. S.
Harrower, B. *see* Powell, W.
Hasson, E. *see* Norry, F. M.
Haymer, D. S., He, M., McInnis, D. O., Genetic marker analysis of spatial and temporal relationships among existing populations and new infestations of the Mediterranean fruit fly (*Ceratitis capitata*) **302**
He, M. *see* Haymer, D. S.
Hernandez-Martich, J. D., Smith, M. H., Downstream gene flow and genetic structure of *Gambusia holbrooki* (eastern mosquitofish) populations **295**
Hitchings, S. P., Beebee, T. J. C., Genetic substructuring as a result of barriers to gene flow in urban *Rana temporaria* (common frog) populations: implications for biodiversity conservation **117**
Hobbs, A. A. *see* Byrne, M.
Hobson, K. A. *see* Dawson, R. J. G.
Hoogland, C., Vieira, C., Biémont, C., Chromosomal distribution of the 412 retrotransposon in natural populations of *Drosophila simulans* **128**
Hopper, S. D. *see* Rossetto, M.
Hu, X.-S., Ennos, R. A., On estimation of the ratio of pollen to seed flow among plant populations **541**
Hynes, R. *see* Prodöhl, P. A.

Ingvarsson, P. K., Olsson, K., Hierarchical genetic structure and effective population sizes in *Phalacrus substriatus* **153**

Jackson, R. T. *see* Karron, J. D.
James, S. H. *see* Byrne, M.
James, S. H. *see* Waycott, M.
Jansen, R. C. *see* van der Schaar, W.
Jerez, J. M. *see* Niemeyer, H. M.
Jiggins, C. D., McMillan, W. O., King, P., Mallet. J., The maintenance of species differences across a *Heliconius* hybrid zone **495**
Joly, D. *see* Montchamp-Moreau, C.
Joly, H. I. *see* Doligez, A.
Jones, G. H. *see* Colombo, P. C.

Karron, J. D., Jackson, R. T., Thumser, N. N., Schlicht, S. L., Outcrossing rates of individual *Mimulus ringens* genets are correlated with anther-stigma separation **365**
Ketmaier, V. *see* Cobolli Sbordoni, M.
King, P. *see* Jiggins, C. D.
Koornneef, M. *see* van der Schaar, W.
Krebs, R. A., Loeschcke, V., Estimating heritability in a threshold trait: heat-shock tolerance in *Drosophila buzzatii* **252**
Kuittinen, H., Mattila, A., Savolainen, O., Genetic variation at marker loci and in quantitative traits in natural populations of *Arabidopsis thaliana* **144**

Larsson, K., Rattiste, K., Lilleleht, V., Heritability of head size in the common gull *Larus canus* in relation to environmental conditions during offspring growth **201**
Latchford, J. W. *see* Wilding, C. S.
Lawrence, M. J. *see* Brooks, R. J.
Lawrence, P. *see* Powell, W.
Lee, S.-K. *see* Crease, T. J.
Lehman, N. *see* Crease, T. J.

Léon-Kloosterziel, K. M. *see* van der Schaar, W.
Lesbros, P. *see* Petit, C.
Lilleleht, V. *see* Larsson, K.
Loeschcke, V. *see* Krebs, R. A.
López-León, M. D. *see* Màrtìn-Alganza, A.
Lucarotti, F. *see* Rossetto, M.
Luyten, R. M. J.M. *see* de Haan, A. A.
Lynch, M. *see* Crease, T. J.

Macnair, M. R. *see* Tilstone, G. H.
Madec, L. *see* Coutellec-Vreto, M.-A.
Maguire, T. L., Sedgley, M., Genetic diversity in *Banksia* and *Dryandra* (Proteaceae) with emphasis on *Banksia cuneata*, a rare and endangered species **394**
Mallet, J. *see* Jiggins, C. D.
Marec, F. *see* Wolf, K. W.
Martìn-Alganza, A., López-León, M. D., Cabrero, J., Camacho, J. P. M., Somatic condition determines female mating frequency in a field population of the grasshopper *Eyprepocnemis plorans* **524**
Mattila, A. *see* Kuittinen, H.
Mbaiguinam, M. *see* Grenier, A.-M.
McInnis, D. O. *see* Haymer, D. S.
McMillan, W. O. *see* Jiggins, C. D.
McNicol, J. W. *see* Powell, W.
McPherson, M. J. *see* Appleby, J. M.
Meyer, A., The evolution of sexually selected traits in male swordtail fishes (*Xiphophorus*: Poeciliidae) **329**
Miyatake, T. *see* Shimizu, T.
Monnerot, M. *see* Rigaa, A.
Montchamp-Moreau, C., Joly, D., Abnormal spermiogenesis is associated with the X-linked *sex-ratio* trait in *Drosophila simulans* **24**
Morgan, M. T., Schoen, D. J., Selection on reproductive characters: floral morphology in *Asclepias syriaca* **433**

Nelson, G. *see* Appleby, J. M.
Niemeyer, H. M., Jerez, J. M., Chromosomal location of genes for hydroxamic acid accumulation in *Triticum aestivum* L. (wheat) using wheat aneuploids and wheat substitution lines **10**
Noach, E. J. K., de Jong, G., Scharloo, W., Phenotypic plasticity of wings in selection lines of *Drosophila melanogaster* **1**
Norry, F. M., Vilardi, J. C., Hasson, E., Correlations among size-related traits are affected by chromosome inversions in an adaptive polymorphism in *Drosophila buzzatii* **585**
Novák, K. *see* Wolf, K. W.

Oliveira, C., Saboya, S. M. R., Foresti, F., Senhorini, J. A., Bernardino, G., Increased B chromosome frequency and absence of drive in the fish *Prochilodus lineatus* **473**
Olsson, K. *see* Ingvarsson, P. K.
Owusu-Daaku, K. O., Wood, R. J., Butler, R. D., Selected lines of *Aedes aegypti* with persistently distorted sex ratios **388**

Panov, V. V. *see* Polyakov, A. V.
Parker, J. S. *see* Vaughan, H. E.
Pedrola-Monfort, J. *see* Caujapé-Castells, J.
Petit, C., Lesbros, P., Ge, X., Thompson, J. D., Variation in flowering phenology and selfing rate across a contact zone between diploid and tetraploid *Arrhenatherum elatius* (Poaceae) **31**
Pezzoli, M. C. *see* Guerra, D.
Pezzoli, M. C., Guerra, D., Giorgi, G., Garoia, F., Cavicchi, S., Develpomental constraints and wing shape variation in natural populations of *Drosophila melanogaster* **572**
Piepho, H.-P. *see* Denis, J.-B.
Polyakov, A. V., Chadova, N. B., Rodionova, M. I., Panov, V. V., Dobrotvorsky, A. K., Searle, J. B., Borodin, P. M., Novosibirsk revisited 24 years on: chromosome polymorphism in the Novosibirsk population of the common shrew *Sorex araneus* L. **172**
Pomiankowski, A. *see* Sheridan, L.
Post, R. J. *see* Flook, P. K.
Powell, W., Thomas, W. T. B., Baird, E., Lawrence, P., Booth, A., Harrower, B., McNicol, J. W., Waugh, R., Analysis of quantitative traits in barley by the use of Amplified Fragment Length Polymorphisms **48**
Prat, D. *see* Burczyk, J.
Prodöhl, P. A., Walker, A. F., Hynes, R., Taggart, J. B., Ferguson, A., Genetically monomorphic brown trout (*Salmo trutta* L.) populations, as revealed by mitochondrial DNA, multilocus and single-locus minisatellite (VNTR) analyses **208**

Racey, S. N. *see* Ritchie, M. G.
Rattiste, K. *see* Larsson, K.
Ribi, G. *see* Trüb, H.
Rigaa, A., Cellos, D., Monnerot, M., Mitochondrial DNA from the scallop *Pecten maximus*: an unusual polymorphism detected by restriction fragment length polymorphism analysis **380**
Ritchie, M. G., Racey, S. N., Gleason, J. M., Wolff, K., Variability of the bushcricket *Ephippiger ephippiger*: RAPDs and song races **286**
Rodionova, M. I. *see* Polyakov, A. V.
Rossetto, M., Lucarotti, F., Hopper, S. D., Dixon, K. W., DNA fingerprinting of *Eucalyptus graniticola*: a critically endangered relict species or a rare hybrid? **310**
Rossi, A. R., Gornung, E., Crosetti, D., Cytogenetic analysis of *Liza ramada* (Pisces, Perciformes) by different staining techniques and fluorescent *in situ* hybridization **83**

Saboya, S. M. R. *see* Oliveira, C.
Sampaio, M. C. *see* Varandas, F. R.
Savolainen, O. *see* Kuittinen, H.
Sawamura, K., Yamamoto, M.-T., Characterization of a reproductive isolation gene, *zygotic hybrid rescue* of *Drosophila melanogaster* by using minichromosomes **97**

Scharloo, W. *see* de Moed, G. H.
Scharloo, W. *see* Noach, E. J. K.
Schlicht, S. L. *see* Karron, J. D.
Schoen, D. J. *see* Morgan, M. T.
Searle, J. B. *see* Polyakov, A. V.
Sedgley, M. *see* Maguire, T. L.
Senhorini, J. A. *see* Oliveira, C.
Sheridan, L., Pomiankowski, A., Fluctuating asymmetry, spot asymmetry and inbreeding depression in the sexual coloration of male guppy fish **515**
Shimizu, T., Miyatake, T., Watari, Y., Arai, T., A gene pleiotropically controlling developmental and circadian periods in the melon fly, *Bactrocera cucurbitae* (Diptera: Tephritidae) **600**
Smith, M. H. *see* Hernandez-Martich, J. D.
Smith, S. E. *see* Tilstone, G. H.
Spitze, K. *see* Crease, T. J.

Taggart, J. B. *see* Prodöhl, P. A.
Taiti, S. *see* Cobolli Sbordoni, M.
Taylor, S. *see* Vaughan, H. E.
Thomas, W. T. B. *see* Powell, W.
Thompson, J. D. *see* Petit, C.
Thumser, N. N. *see* Karron, J. D.
Tilstone, G. H., Macnair, M. R., Smith, S. E., Does copper tolerance give cadmium tolerance in *Mimulus guttatus*? **445**
Tobias, A. M. *see* Brooks, R. J.
Trüb, H., Ribi, G., High fecundity of hybrids between the sympatric snail species *Viviparus ater* and *V. contectus* (Gastropoda: Prosobranchia) **418**

van Damme, J. M. M. *see* de Haan, A. A.
van der Schaar, W., Alonso-Blanco, C., Léon-Kloosterziel, K. M., Jansen, R. C., van Ooijen, J. W., Koornneef, M., QTL analysis of seed dormancy in *Arabidopsis* using recombinant inbred lines and MQM mapping **190**
van Eeuwijk, F. A. *see* Denis, J.-B.
van Ooijen, J. W. *see* van der Schaar, W.
Vanderkist, B. A. *see* Crespi, B. J.
Varandas, F. R., Sampaio, M. C., Carvalho, A. B. Heritability of sexual proportion in experimental *sex-ratio* populations of *Drosophila mediopunctata* **104**
Vaughan, H. E., Taylor, S., Parker, J. S., The ten cytological races of the *Scilla autumnalis* species complex **371**
Vieira, C. *see* Hoogland, C.
Vilardi, J. C. *see* Norry, F. M.

Walker, A. F. *see* Prodöhl, P. A.
Walker, D. I. *see* Waycott, M.
Wang, J., More efficient breeding systems for controlling inbreeding and effective size in animal populations **591**
Watari, Y. *see* Shimizu, T.
Waugh, R. *see* Powell, W.
Waycott, M. *see* Byrne, M.
Waycott, M., James, S. H., Walker, D. I., Genetic variation within and between populations of *Posidonia australis*, a hydrophilous, clonal seagrass **408**
Wilding, C. S., Beaumont, A. R., Latchford, J. W., Mitochondrial DNA variation in the scallop *Pecten maximus* (L.) assessed by a PCR-RFLP method **178**
Willett, C. S., Ford, M. J., Harrison, R. G., Inferences about the origin of a field cricket hybrid zone from a mitochondrial DNA phylogeny **484**
Wolf, K. W., Novák, K., Marec, F., Kinetic organization of metaphase I bivalents in spermatogenesis of Lepidoptera and Trichoptera species with small chromosome numbers **135**
Wolff, K. *see* Ritchie, M. G.
Wood, R. J. *see* Owusu-Daaku, K. O.

Yamamoto, M.-T. *see* Sawamura, K.
Yezerinac, S. M. *see* Dawson, R. J. G.
Yu, S.-L. *see* Crease, T. J.

Heredity **79** (1997) 655–657

Keyword index

Aedes aegypti **388**
AFLPs **48**
agronomic traits **60**
allele frequency distribution **350**
allozymes **72, 88, 117, 144, 231, 242, 277, 295, 341, 402, 408, 463, 495**
AMOVA **394**
Androcymbium **341**
Arabidopsis **190**
Arabidopsis thaliana **144**
arbitrary primed PCR **302**
artificial selection **564, 600**
Asclepias syriaca **433**

B chromosome evolution **473**
B chromosomes inheritance **473**
backcross **319**
Bactrocera cucurbitae **600**
Banksia **394**
barley **48**
biodiversity **117**
biogeography **295**
biparental gene **541**
body size **201, 524**
bread wheat **60**
breeding system **424, 591**
British flora **402**
brown trout **208**
bushcricket **286**

cadmium tolerance **445**
cave fauna **463**
centric fusions **631**
centromere **214**
Ceratitis capitata **302**
character coding **329**
chiasmata **214**
chromosomal distribution **128**
chromosome behaviour **41**
chromosome inversions **585**
chromosome polymorphism **172, 631**
cichlid **88**
circadian rhythm **600**
clonal **408**
common gull **201**
common shrew **172**
comparative method **329**
conservation genetics **117, 310**
copper tolerance **445**
cotolerance **445**
covariate **162**
crickets **484**
cryptic species **371**
C-value paradox **371**
cytoplasmic incompatibility **41**
cytoplasmic male sterility **453**
cytotaxonomy **83**

Daphnia **231, 242**
detoxification **15**
development time **600**
developmental constraints **260, 564, 572**
diagnostics **319**
DIMBOA **10**
divergence times **463**
diversity **578**
DNA markers **531**
doubled-haploid **60**
Drosophila buzzatii **585**
Drosophila mauritania **615**
Drosophila mediopunctata **104**
Drosophila melanogaster **1, 97, 260, 564, 572**
Drosophila simulans **24, 128, 615**
Dryandra **394**
dynamic equilibrium **453**

effective population size **153, 361, 591**
embryo mortality **41**
Ephippiger **286**
Epipactis **402**
epistasis **60**
Eucalyptus **310**
evolution **371, 408**
evolution of sexual proportion **104**
excess heterozygosity **72**
extinction **153**
Eyprepocnemis plorans **524**

factorial regression **162**
female preference **515**
FISH **83**
fish **88**
fish cytogenetics **473**
Fisher's Principle **104**
fitness **117**
flowering phenology **31**
fluctuating asymmetry **515, 624**
food plant preference **15**
free-running period **600**

freshwater snail **277**
F-statistics **231**

Gambusia holbrooki **295**
gene flow **72, 153, 231, 295**
gene genealogy **484**
genes **48**
genetic correlation **600, 606**
genetic differentiation **295, 506**
genetic distances **477**
genetic drift **117, 153, 591**
genetic markers **302, 319**
genetic polymorphism **463**
genetic structure **72, 341**
genetic variation **268, 606**
genotype-environment interaction **162, 201, 268**
geographical distribution **371**
geographical variation **242, 572**
gibberellin inhibitors **190**
grasshopper **524**
Gryllus **484**
guppy **515**
gynodioecy **453**

Haldane's rule **418**
haplodiploidy **624**
heritability **104, 201, 252**
herkogamy **365**
hermaphrodite **277, 433**
heterochromatin **83, 97**
heteroplasmy **615**
heteroscedasticity **162**
heterozygosity **295, 477**
hybrid **310, 402**
hybrid fecundity **418**
hybrid inviability **97**
hybrid zone **484**
hybridization **31, 231**
hydrophily **408**
hydroxamic acids **10**

inbreeding **277, 591**
inbreeding depression **208, 515**
Insecta **15**
interaction **162**
interference **214**
interspecific hybridization **495**
interval mapping **319**
introgression **418**
Ipomopsis **606**
isofemale lines **252**
Isotoma petraea **578**

karyotype **83**
karyotype change **371**
karyotype evolution **135**
kinetochores **135**

Larus canus **201**
legumes **15**
length variation **178**
likelihood profile **319**
Linanthus parviflorus **424**
linkage disequilibrium **445**

Macrozamia riedlei **578**
male sterility **453**
mapping **48**
markers **48, 477**
mate choice **515**
maternal effects **201**
maternal gene **541**
mathematical theory **350, 361**
mating system **277, 365, 638**
medfly **302**
meiosis **135**
meiotic drive **104, 388**
Mendelian character **15**
microsatellite DNA markers **144, 506**
microtubules **135**
migration **531**
migratory birds **506**
Mimulus guttatus **445**
minichromosome **97**
minisatellite DNA **208**
mitochondria **615**
mitochondrial DNA **88, 178, 208, 242, 380, 484, 495, 615**
mixed model **162**
monkeyflower **365**
monomorphism **208**
morphometrical variables **631**
mosquito **388**

mullet **83**
natural populations **128, 531**
neighbourhood model **638**
NOR **83**
nuclear-cytoplasmic interactions **615**

onchocerciasis **531**
orchid **402**
Orthoptera **214, 631**
outcrossing rate **365**

parapatry **495**
parentage analysis **506**
paternal gene **541**
paternity analysis **365**
PCR **88, 178**
Pecten maximus **178, 380**

© The Genetical Society of Great Britain, *Heredity*, **79**, 000–000.

phenotypic correlations **585**
phenotypic plasticity **1, 268**
phylogeny **286, 463**
plant identification **557**
plant reproduction **606**
Plantago **453**
plasticity **260**
pleiotropy **445**
Polemoniaceae **424**
pollen flow **541, 638**
polygenic inheritance **477**
polyploidy **31**
population genetics **88, 178, 350, 361, 394**
population growth **341**
population structure **144, 153, 242, 495**
population studies **506**
pre-existing bias hypothesis **329**
progeny array **277**
Proteaceae **394**
Pseudotsuga menziesii **638**

QTL mapping **48, 190, 319**
quantitative genetics **60, 252**
quantitative variation **144**

Rana temporaria **117**
RAPD-PCR **302**
RAPDs **286, 310, 394**
rare flora **310**
rarity **268**
rDNA **578**
reaction norm **260**
recolonization **153**
recombinant inbred lines **190**
repeatability **252**
repetitive DNA **531**
reproduction **433**
reproductive isolation **31, 97**
reproductive success **638**
retrotransposon **128**
RFLP **380**
rice weevil **15**
Robertsonian fusion **172**
RuBisCo **557**

scallop **178**
Scilla autumnalis **371**
seagrass **408**
secondary contact **484**
seed dormancy **190, 361**
seed flow **541**
selection **615**
selection lines **1**
self-fertilization **365**
self-incompatibility polymorphism **350, 361, 424**
selfing rate **31**
sex allocation **606**
sex-ratio **24, 104**
sex ratio **388**
sexual selection **329, 433, 515, 524**
Simulium damnosum **531**
Sitophilus oryzae **15**
size-related traits **585**
somatic condition **524**
song **286**
Sorex araneus **172**
spatial autocorrelation **72, 341**
speciation **286, 402, 495**
species barriers **418**
species complex **231**
spermiogenesis **24**
spider mite **41**
supernumerary chromosomes **473**
supernumerary segments **631**

temperature **1, 260**
Tetranychus 41
thermotolerance **252**
time series **350**
Trichoniscus pusillus **463**
Triticum aestivum (L.) **60**
tropical tree **72**

unusual polymorphism **380**

variation in plant size **361**
vegetative reproduction **341**
vestigial traits **624**
Vicia dumetorum **268**
Vicia pisiformis **268**

wheat **10**
wing **1**
wing shape **572**
Wolbachia **41**

zygotic hybrid rescue **97**